

## - FREY ENVIRONMENTAL, INC.

Environmental Geologists, Engineers, Assessors

2817 A Lafayette Avenue Newport Beach, CA 92663 (949) 723-1645 Fax (949) 723-1854 Email: freyinc@freyinc.com

October 19, 2000 172-01

Steven Hariri Regional Water Quality Control Board Los Angeles Region 320 West 4<sup>th</sup> Street, Suite 200 Los Angeles, California 90013

# GROUNDWATER MONITORING WELL SAMPLING THIRD QUARTER 2000 FORMER MONDO CHROME FACILITY 4933 FIRESTONE BOULEVARD SOUTH GATE, CALIFORNIA

Dear Mr. Hariri:

This letter presents the results of groundwater sampling activities for the third quarter of 2000 at the site of the former Mondo Chrome facility located at 4933 Firestone Boulevard in South Gate, California (Figure 1).

#### SUMMARY OF ACTIVITIES

On September 22, 2000, groundwater monitoring wells MW1, MW2 and MW3 were measured for depth to water and checked for the presence of light non-aqueous phase liquids (LNAPLs). LNAPLs were not detected in wells MW1, MW2 or MW3 which were then purged and sampled according to the procedures presented in Appendix A.

Groundwater samples were analyzed for purgeable halocarbons in general accordance with EPA Method No. 8021B. Groundwater samples were also analyzed for total chromium in general accordance with EPA Method No. 200.7.

Groundwater purged from the wells is temporarily being stored on-Site in 55-gallon drums. The purged groundwater will be transported and disposed of at a State-certified recycling facility at a later date.

#### RESULTS

- The depth to groundwater varied between 40.47 feet and 40.60 feet below the top of casing on September 22, 2000. Groundwater elevations ranged from 68.85 feet above mean sea level in well MW1 to 69.01 above mean sea level in well MW3 on September 22, 2000.
- Groundwater was estimated to flow toward the northwest at a gradient of 0.0013 feet per foot on September 22, 2000. A site sketch showing groundwater elevations and estimated direction of groundwater flow on September 22, 2000 is presented on Figure 2.
- Tetrachloroethene (PCE) and trichloroethene (TCE) were detected at concentrations of 111 micrograms per liter (ug/L) and 150 ug/L, respectively, in the water sample collected from well MW1. In addition, 1,1-dichloroethene (1,1-DCE) and cis-1,2-dichloroethene (cis-1,2-DCE) were detected at concentrations of 1.9 ug/L and 11 ug/L, respectively, in the water sample collected from well MW-1. No other compounds analyzed as part of EPA Method No. 8021B were detected in the groundwater sample collected from MW1.
- PCE and TCE were detected at concentrations of 3.79 ug/L and 72.6 ug/L, respectively, in the groundwater sample collected from well MW2. No other compounds analyzed as part of EPA Method No. 8021B were detected in the groundwater sample collected from MW2.
- PCE, TCE, cis-1,2-DCE and 1,1-DCE were detected at concentrations of 7.11 ug/L, 66 ug/L,
   4.97 ug/L and 1.61 ug/L, respectively, in the groundwater sample collected from well MW3.
   No other compounds analyzed as part of EPA Method No. 8021B were detected in the groundwater sample collected from MW3.
- Total chromium was detected at concentrations of 17 ug/L and 20 ug/L in groundwater samples collected from MW2 and MW3, respectively. Total chromium was not detected in the groundwater sample collected from well MW1.
- Calculated groundwater elevations and chemical analytical data have been summarized in Table 1. Laboratory reports are presented in Appendix B.

#### **CONCLUSIONS**

• In general, concentrations of purgeable halocarbons and total chromium in groundwater samples collected from wells MW1, MW2 and MW3 decreased significantly between June 26, 2000 and September 22, 2000.

Sincerely,

FREY Environmental, Inc

Joe Frey

Principal Certified

Engineering Geologist

CEG #1500

Evan Privet

Senior Project Geologist

#### Enclosures:

Table 1 - Groundwater Levels and Chemical Analyses

Figure 1 - Site Location Map

Figure 2 - Site Sketch Showing Groundwater Elevations and Estimated Groundwater Flow Direction on September 22, 2000.

Figure 3 - Site Sketch With PCE Concentrations in Groundwater on September 22, 2000.

Figure 4 - Site Sketch With TCE Concentrations in Groundwater on September 22, 2000.

Appendix A - Field Procedures/Water Sampling Data Forms

Appendix B- Laboratory Results


ce: Mr. Howard Kay

Tedesco Leasing Partnership

475 Seventeenth Street

Suite 940

Denver, CO 80202



#### TABLE 1 GROUNDWATER LEVELS AND CHEMICAL ANALYSES FORMER MONDO CHROME FACILITY 4933 FIRESTONE BOULEVARD SOUTH GATE, CALIFORNIA

| Well     | Well<br>Elevation<br>(fi-mal) | Screen<br>Interval<br>(feet-bgs)   | Date<br>Sampled | Depth to<br>Groundwater<br>(leet) | Groundwater<br>Elevation<br>(f(-msl) | PCE<br>ug/l (ppb) | TCE (ppb) | cis-1,2-DCE<br>ug/l (ppb) | 1,1-DCE ;<br>ug/l (ppb) ; | Vlayl<br>Chloride<br>ug/l (ppb) | 1,3-DCA<br>ug/l (ppb) | Total<br>Chromium<br>ug/l (ppb) | Chromium VI<br>ug/i (pph) | Cadmium<br>ug/l (ppb) |
|----------|-------------------------------|--|-----------------|-----------------------------------|--------------------------------------|-------------------|-----------|---------------------------|---------------------------|---------------------------------|-----------------------|---------------------------------|---------------------------|-----------------------|
| MWI      | 109 40                        | 30-55  | 12/07/98        | 41.58                             | 67 82                                | 110               | 140       | 68                        | NI>>1                     | ND>10                           | ND>0.5                | NA                              | NA                        | NA                    |
|          |                               |  | 03/03/99        | 40 71                             | 68 69                                | 140               | 190       | ND>10                     | ND>16                     | ND>20                           | ND>10                 | 19                              | ND>20                     | ND>4                  |
|          |                               |  | 06/24/99        | 40 36                             | 69.04                                | 600               | 780       | ND>25                     | ND>40                     | ND>50                           | ND>25                 | 19                              | ND>20                     | ND>4                  |
|          |                               |  | 09/17/99        | 40.31                             | 69 09                                | 707               | 824       | 9.4                       | 1.9                       | 1.9                             | ND>0.5                | 16                              | ND>20                     | NO>4                  |
|          |                               |  | 12/20/99        | 40 35                             | 69 05                                | 395               | 635       | 10                        | 1.6                       | ND>1.0                          | ND>0,5                | 37                              | ND>20                     | ND>3                  |
|          |                               |  | 03/28/00        | 40 42                             | 68 98                                | 368               | 538       | 11                        | 19                        | ND>1.0                          | ND>0.5                | 4                               | NA.                       | NA                    |
|          |                               |  | 06/26/00        | 40 50                             | 68.90                                | 663               | 909       | 125                       | 8 0<01N                   | ND>10                           | ND>0.5                | 46                              | NA                        | NA                    |
|          |                               | **************************************   | 09/22/00        | 40 55                             | 68 85                                | 111               | L50       | - 11                      | 19                        | ND>10                           | ND>0.5                | ND>3                            | NA                        | NA                    |
| MWZ      | 109 45                        | 30-55  | 12/07/98        | 41 68                             | 67 77                                | 11                | 77        | 16                        | ND>1                      | ND>1.0                          | ND>0.5                | NA                              | NA                        | NA                    |
|          |                               |  | 03/03/99        | 40 81                             | 68 64                                | 6.5               | 130       | 13                        | ND>4                      | ND>5                            | ND>2.5                | 33                              | ND>20                     | ND-4                  |
|          |                               |  | 06/24/99        | 40.45                             | 69 00                                | 20                | 160       | 13                        | Nto-8                     | ND>10                           | ND>5                  | 50                              | ND>20                     | ND>4                  |
|          |                               |  | 09/17/99        | 40 40                             | 69 05                                | 15                | 156       | 21                        | ND>0.8                    | ND>1                            | ND>0.5                | 40                              | ND>20                     | ND>4                  |
|          |                               |  | 12/20/99        | 40 43                             | 69 02                                | 27                | 158       | 18                        | ND>08                     | ND>10                           | ND>0.5                | 18                              | ND-20                     | ND>3                  |
|          |                               |  | 03/28/00        | 40 38                             | 69 07                                | 8.4               | 138       | 27                        | 0.8                       | ND>L0                           | ND>0.5                | 19                              | NA                        | NA                    |
|          |                               |  | 06/26/00        | 40 46                             | 68 99                                | 17                | 101       | 230                       | ND>0.8                    | NID-10                          | ND>0.5                | 38                              | NA                        | NA                    |
| *****    |                               | ·  | 09/22/00        | 40.47                             | 68 98                                | 3 79              | 72.6      | ND>0.5                    | ND>0 8                    | ND>10                           | ND>0.5                | 17                              | NA                        | NA                    |
| MW3      | 109 61                        | 30-55  | 12/07/98        | 41.78                             | 67.83                                | 9.3               | 75        | LO                        | 1.7                       | ND>10                           | ND>0.5                | NA                              | NA                        | NA                    |
|          |                               |  | 03/03/99        | 40,94                             | 68.67                                | 5.1               | 100       | 6.4                       | ND>4                      | NI)>5                           | ND>2.5                | 68                              | ND>20                     | ND>4                  |
|          |                               |  | 06/24/99        | 40.59                             | 69 02                                | 7.4               | 110       | 7.3                       | ND>8                      | ND>10                           | ND>5                  | 50                              | ND>20                     | ND>4                  |
|          |                               |  | 09/17/99        | 40 56                             | 69 05                                | 6.1               | 145       | 12                        | 1.2                       | 2.3                             | 1.2                   | 58                              | ND>20                     | ND>4                  |
|          |                               |  | 12/20/99        | 40.61                             | 69 00                                | 4.4               | 43        | 3.6                       | ND>0.8                    | ND>10                           | ND>0.5                | 37                              | ND>20                     | ND>3                  |
|          |                               |  | 03/28/00        | 40 54                             | 69 07                                | 4.7               | 114       | 13                        | 1.7                       | ND>16                           | 0.9                   | 19                              | NA                        | NA                    |
|          |                               |  | 06/26/00        | 40 61                             | 69 00                                | 26                | 92        | ND>0.5                    | ND>0.8                    | ND>10                           | ND=0.5                | 44                              | NA                        | NA                    |
|          |                               | ~400mmuuuunuu maanna maann | 09/22/00        | 40 60                             | 59.01                                | 7.11              | fxti      | 4 97                      | lól                       | ND>10                           | ND>0.5                | 20                              | NA                        | NA.                   |
| OTSC MCI | .ş                            |  |                 |                                   |                                      | 5                 | 5         | fı fı                     | ñ                         | 0.5                             | 0.5                   | 50                              |                           | Š                     |

#### Notes

1) Well elevation recorded at top of easing.

7) Maximum Contaminant Levels (MCLs) are enforceable drinking water standards

<sup>2)</sup> PCE = Tetrachloroethene

<sup>3)</sup> TCE = Trichlaraethone


<sup>4)</sup> cis 1,2-DCE = cis 1,2 Dichlorocitione


<sup>5)</sup> I,I-DCE = I,I Dichluroethene

<sup>6) 1,2-</sup>DCA = 1,2 (Dichloroothane

<sup>8)</sup> ND> - Constituent not detected above the stated concentration

<sup>9)</sup> NA - Not analyzed





#### **EXPLANATION**

Groundwater well UNOCAL property

MW1 Well number

(53') Depth to groundwater in feet MSL (1994)

NORTH

0 1/2 1

SCALE IN MILES

FORMER MONDO CHROME FACILITY 4933 FIRESTONE BOULEVARD SOUTH GATE, CALIFORNIA

#### NOTES:

- 1) All locations and dimensions are approximate.
- Base map from USGS 7.5 minute South Gate (1966, photorevised 1981), California topographic quedrangle.
- Groundwater well data from FUGRO West, Inc., project no. 94-48-1320.

Client: TEDESCO LEASING

Project No.: 172-01

FREY ENVIRONMENTAL, INC.

SITE LOCATION MAP

Date: JANUARY 1996

Figure: 1

#### **EXPLANATION**

▲ HB6 HAND AUGER BORING LOCATION

811 BORING LOCATION

₩ VEW1 VAPOR EXTRACTION WELL LOCATION

十F84/ SOIL SAMPLE LOCATION/VAPOR PROBE LOCATION VP2

GROUNDWATER MONITORING WELL LOCATION **69** MW3


(69,01)With groundwater elevation in feet MSL, on September 22, 2000

> CONTOUR OF EQUAL GROUNDWATER ELEVATION in feet MSL, on September 22, 2000

ESTIMATED GROUNDWATER FLOW DIRECTION

#### MASON STREET

69.00~




-69.00· Parking lane. (69.01)(68.98)6 MW3 6 MW2

FIRESTONE BOULEVARD

Parking lane.

#### NOTES:

All locations and dimensions are approximate. Base map from Proposed Site Assessment, Former Mondo Chrome Facility, by Fugro West, Inc., project no. 94-48-1320, dated August 1994, and field observations made by FREY Environmental, Inc. July 1996.



FORMER MONDO CHROME FACILITY 4933 FIRESTONE BOULEVARD SOUTH GATE, CALIFORNIA


TEDESCO LEASING

Project No: 172-01


#### FREY ENVIRONMENTAL, INC.

SITE SKETCH SHOWING GROUNDWATER ELEVATIONS AND ESTIMATED GROUNDWATER FLOW DIRECTION ON SEPTEMBER 22, 2000

OCTOBER 2000 Dote:




#### MASON STREET



FIRESTONE BOULEVARD

#### NOTES:

 All lacations and dimensions are approximate.
 Base map from Proposed Site Assessment, Former Mondo Chrome Facility, by Fugra West, Inc., project no. 94-48-1320, dated August 1994, and field observations made by FREY Environmental, Inc. July 1996.



FORMER MONDO CHROME FACILITY 4933 FIRESTONE BOULEVARD SOUTH GATE, CALIFORNIA

Client: TEDESCO LEASING


Project No: 172-01

#### FREY ENVIRONMENTAL, INC.


SITE SKETCH WITH PCE CONCENTRATIONS IN GROUNDWATER, ON SEPTEMBER 22, 2000


Date: OCTOBER 2000

Figure 3



#### MASON STREET






#### NOTES:

1) All locations and dimensions are approximate.
2) Base map from Proposed Site Assessment, Former Mondo Chrome Facility, by Fugro West, Inc., project no.

Chrome Facility, by Fugro West. Inc., project no. 94-48-1320. dated August 1994. and field observations made by FREY Environmental. Inc. July 1996.



FORMER MONDO CHROME FACILITY 4933 FIRESTONE BOULEVARD SOUTH GATE, CALIFORNIA

Client TEDESCO LEASING

Project No - 172-01

#### FREY ENVIRONMENTAL, INC.

SITE SKETCH WITH TCE CONCENTRATIONS IN GROUNDWATER, ON SEPTEMBER 22, 2000

Date: OCTOBER 2000

Figure 4

#### APPENDIX A

FIELD PROCEDURES/WATER SAMPLING DATA FORMS

#### WELL PURGING AND GROUND WATER SAMPLING

- The water level, and depth to the bottom of each well, was recorded using a conductance
  probe prior to well purging. A clear bailer sample was taken and visually inspected for
  turbidity and the presence of free product.
- 2. The groundwater monitoring wells were purged of at least three well volumes using a submersible pump or bailer.
- The well was allowed to recover to at least 80 percent of its original well volume prior to sampling.
- 4. The ground water samples were collected using a stainless steel bailer held by dedicated nylon line.
- All items entering the well; tapes, conductance probe, bailers were cleaned prior to use and between sampling periods.
- 6. Groundwater collected from each monitoring well was placed into EPA approved, zero head space, 40 milliliters (mL) vials and 500 mL containers.
- 7. Each sample was labeled.
- 8. The samples were placed in a bag, and into an ice chest, and cooled following collection.
- 9. The samples were delivered to the laboratory directly after collection. Sample handling, transport, and delivery to the laboratory were documented using chain of custody procedures and appropriate Chain-of-Custody forms.

|                      | ondo (<br>2-0   | HROM!             |  |                  |                            | DATE 9/2       | 22,200<br>Ramrez |
|----------------------|-----------------|-------------------|--|------------------|----------------------------|----------------|------------------|
| WELL NUMBE           | ° М.,           | 11                | Well Diameter  | (D) 21/          |                            | Reterence Poi  | m<br>Toc         |
| WATER DEPTI          | 11th 40.        |                   | WELL DEFTH   |                  |                            | Feet of H29 in | 13-68            |
| TIME                 | ELAPSED<br>TIME | GALLONS<br>PURGED | ph   | Temp<br>(deg. F) | Cond.<br>(µS/cm)           | TDS<br>(ppm)   | COMMENTS         |
| 9:30                 | 1100160         |                   | F**  | 1===::/          | 1                          | <b>VFF</b>     | Start pump       |
| 9:32                 | 02              | 2                 | 7.45   | 69, 3            | 1820                       |                | clear water      |
| 9:34                 | <i>ō</i> 4      | 4                 | 7.35   | 69.8             |                            |                | C C              |
| 9:37                 | 07              | 4.00              | 7.53   | 69.9             | 1890                       |                | 10000            |
| 9; 37                |                 |                   |  |                  |                            |                | STAP PUMP        |
|                      |                 |                   |  | <u> </u>         |                            |                | ·                |
| 7.4                  |                 |                   |  |                  |                            |                |                  |
|                      |                 |                   |  |                  | 1 1                        |                |                  |
| 011-2                |                 |                   | C/   | 1/0-2            |                            |                |                  |
| 9:50<br>TOTAL GALLO  | NS              | <b>4</b>          |  | <u> 168.6</u>    | <u> 11 % 70 1</u>          |                | <u> </u>         |
| PURGED               |                 | 7.00              | •  |                  |                            |                |                  |
| Sample<br>Depth (FT) | 41.04           |                   | PURGE<br>METHOD Z  | Римр             | PURGE PUMPIN<br>RATE (GPM) | G<br>/         |                  |
|                      |                 |                   |  |                  |                            |                |                  |
| FIELD EQUIPM         | Ðπ              |                   | ······································   | / DESCRIPTION    |                            |                |                  |
| pH Meter/EC M        | ster            |                   | <u> </u>   | ach              | 世:                         | 2              |                  |
| Turbidity Meter      |                 |                   |  |                  |                            |                |                  |
| Pump (Dia_/Typ       | e) .            |                   | 2"12   | 124/             | <u>#1</u>                  |                |                  |
| Water Level Me       | ter             |                   | Schi   | 754              | <u>#2</u>                  |                |                  |
| Baller (Dia.x ler    | igth)           |                   | 1-5×3  | 6"               | <u> </u>                   |                |                  |
|                      |                 |                   | · ecipolisia compressona a compresso de la com | ······           |                            |                |                  |
|                      |                 |                   |  |                  |                            |                |                  |

|   | 4-INCH WELL: |   | Ft) x (0.65) =      |      | Gallons  |
|---|--------------|---|---------------------|------|----------|
|   |              |   | 3 Well Volumes =    |      | Gallons  |
| A |              | e de la companya de l<br>La companya de la companya de |                     |      |          |
|   | 2-INCH WELL: | 13.68   | Ft) x (0.16) = 4    | 2.18 | Gallons  |
|   |              |   | 3 Well Volumes 4    | 5.56 | Gallons  |
|   |              |   | 5 West voluntees Te |      | _ Çamons |

MW 1

3

#### GROUNDWATER SAMPLING DATA

| JOB NO.   L                             | 72-(            | ? <i>1</i>                                       | •                  | SAMPLING PE       | RSONNEL VI                | DATE 9/7<br>Letio Ro |                          |               |
|---|-----------------|--|--------------------|-------------------|---------------------------|----------------------|--------------------------|---------------|
| WELL NUMBE                              |                 | . 7  | Well Diameter      | <sup>(D)</sup> 27 |                           | Reference Poir       | 1.<br>700                |               |
| WATER DEPTI                             | 4 (ft)          | <u>( 2 - 47 - 47 - 47 - 47 - 47 - 47 - 47 - </u> | WELL DEPTH         | 53·0°             | 5                         | Feet of H20 in )     |                          | 8             |
| TIME                                    | ELAPSED<br>TIME | GALLONS<br>PURGED                                | ph                 | Temp<br>(deg. F)  | Cond.<br>(µS/cm)          | TDS<br>(ppm)         | co                       | MMENTS        |
| 7: 4                                    |                 |  |                    |                   |                           |                      | 570m                     | - Privery     |
| 7:32                                    | 02              | 1 2  | 7.63               | 69.3              | 3 310                     |                      | Clear                    | wa-er         |
| 7:34                                    | 04              | 4  | 7.65               | 69.4              | <u> 13220</u>             |                      | 100                      | (1            |
| 7:39                                    | 07              | 7.00   | 7.56               | 69.3              | <u> 13 310 </u>           |                      | <u> </u>                 | (7            |
| 7: 37                                   |                 |  |                    |                   |                           |                      | 5500                     | brown         |
|   |                 |  |                    |                   |                           |                      |                          |               |
|   |                 |  |                    |                   |                           |                      |                          |               |
|   |                 |  |                    |                   |                           |                      | 1                        |               |
| 8:35                                    |                 |  | 7.57               | 67.9              | 34 70                     | Clear                | Samp                     | 16            |
| TOTAL GALLO<br>PURGED                   | KS              | 7.00   |                    |                   |                           |                      |                          |               |
| SAMPLE<br>DEPTH (FT)                    | 40.9            | 19   | PURGE 2" METHOD 2" | имр               | PURGE PUMP!<br>RATE (GPM) | NG /                 |                          |               |
|   |                 |  |                    |                   |                           |                      |                          |               |
| FIELD EQUIPM                            | ENT             |  | MODEL NAME         | DESCRIPTION       |                           |                      |                          |               |
| pH Meter/EC M                           |                 |  | <u> </u>           | LEK               | 步。                        | 2                    |                          |               |
| Turbidity Meter                         |                 |  | フル .、              | •                 | #1                        |                      |                          |               |
| Pump (Dia/Typ                           |                 |  | = pu               | <u> دروس</u><br>ا | 11                        |                      | - A.                     |               |
| Water Level Me                          |                 |  | <u> </u>           | <u> </u>          | 72-2                      |                      |                          |               |
| Baller (Dia.x ler                       | igth)           |  | / * 5 X            | 5 <i>6</i> *      | #1                        |                      |                          | . **          |
| *************************************** |                 |  |                    |                   | WELL VOLUME               | CALCULATIONS         | ·                        |               |
| SAMPLE NUME                             | ER              |  | # BOTTLES          |                   |                           |                      | :<br>er) = One Well Volu | me in Gallons |
|   |                 |  |                    |                   |                           |                      |                          |               |

2-INCH WELL: (12.58 Ft) x (0.16) = 2.01 Gallons

3 Well Volumes = 6 - 0 3 Gallons

FREY ENVIRONMENTAL, INC.

| IIIE NAME (                             | achas                                   | <u>C¥RO</u>                             | ме  |   |                  | 100              | <u> 2,220                                  </u> |
|---|---|---|---|---|------------------|------------------|---|
| ов но. 15                               | 12-01                                   |   | •   | SAMPLING PE                             | RSONNEL VI-      | <u>Leria K</u>   | amiez   |
|   |   |   |   |   |                  |                  |   |
| VELL NUMBE                              | <sup>в</sup><br>Ми                      | 1 2                                     | Well Diameter                                 | <sup>(ID)</sup> 2"                      |                  | Reference Pos    | " <i>To</i> e                                   |
| VATER DEPT                              | H (ft)                                  |   | WELL DEPTH                                    |   |                  | Feet of H20 in 1 | Well  |
|   | 40                                      | <u>•60</u>                              |   | <u>53. </u>                             | 35               | L                | 12,75   |
| TIME                                    | ELAPSED<br>TIME                         | GALLONS<br>PURGED                       | ph  | Temp<br>(deg. F)                        | Cond.<br>(µS/cm) | TDS (ppm)        | COMMENTS  |
| 6,00                                    |   |   |   |   |                  |                  | Start pump                                      |
| 3:02                                    | 02                                      | 2                                       | 7.36  | 170.1                                   | 3450             |                  | dear water                                      |
| 3:04                                    | 04                                      | 4                                       | 7.28  | 169.8                                   | 3610             | 1                | 100   |
| 8.07                                    | 07                                      | 7.00                                    | 7.56  | 69.8                                    | 3550             |                  | 100   |
| 3:04                                    |   |   |   |   | •                |                  | STOP PUMP                                       |
|   |   |   |   |   |                  |                  |   |
|   |   |   |   |   |                  |                  |   |
|   |   |   |   |   |                  |                  |   |
|   |   |   |   |   |                  |                  |   |
| (145                                    |   |   | 7.35  | 69.7                                    | 3520             | Clear            | Samp  |
| OTAL GALLO<br>URGED                     | NS                                      | 7.00                                    |   |   |                  |                  |   |
| AMPLE                                   | 4                                       |   | PURGE 2"                                      |   | PURGE PUMPII     | vG               |   |
| EPTH (FT)                               | 41.11                                   |   |   | ump                                     | RATE (GPM)       |                  |   |
|   |   |   |   |   |                  |                  |   |
| er n series                             | erar                                    |   |   |   |                  |                  |   |
| <u>ELD EQUIPN</u><br>N MetenEC N        |   |   | Hyda  | DESCRIPTION                             | 4 0              |                  |   |
| urbidity Mete                           |   | *************************************** | 11 / 11 (1                                    |   |                  |                  |   |
|   |   | *************************************** | n,, ,,  |   | #1               |                  |   |
| ump (Dia./Tyr<br>ater Level M:          |   | *************************************** | £ 10  | <del>////</del><br>-/                   | 生2               |                  |   |
|   |   |   | 1.00  | <u> </u>                                | 4-2              |                  |   |
| iller (Dia.x le                         |   |   | <u>, -                                   </u> |   |                  |                  |   |
| *************************************** | *************************************** |   |   | *************************************** |                  |                  |   |
|   |   |   | ***************************************       |   | WELL VOLUME      | CALCULATIONS     | •   |
| MPLE NUME                               | 3535                                    | 그렇게 가게되다는 가게되는 생활                       | # BOTTLES                                     | 1                                       |                  |                  |   |

2-INCH WELL:  $(12.75 \text{ FI}) \times (0.16) = 2.04$  Gallons 3 Well Volumes = 6./2 Gallons FREY ENVIRONMENTAL, INC.

3 Well Volumes = \_\_\_\_\_ Gallons

# APPENDIX B LABORATORY RESULTS



#### ASSOCIATED LABORATORIES

806 North Batavia - Orange, California 92868 - 714/771-6900

FAX 714/538-1209

CLIENT Frey Environmental, Inc.

ATTN: Evan Privett

2817A Lafayette Ave.

Newport Beach, CA 92663 (7741)

LAB REQUEST 59880

REPORTED 10/04/2000

RECEIVED 09/22/2000

PROJECT Mondo Chrome 1/72-0

SUBMITTER Glient

COMMENTS

This laboratory request covers the following listed samples which were analyzed for the parameters indicated on the attached Analytical Result Report. All analyses were conducted using the appropriate methods as indicated on the report. This cover letter is an integral part of the final report.

Order No. 213766 213767

213768

Client Sample Identification MW2

MW3 MWI

Thank you for the opportunity to be of service to your company. Please feel free to call if there are any questions regarding this report or if we can be of further service.

ASSOCIATED LABORATORIES by.

Edward S. Bchare, Ph.D.

Vice President

NOTE: Unless natified in writing all samples will be discarded by appropriate disposal protocol 30 days from date reported.

The reports of the Associated Laboratorids are confidential property of our clients may not be reproduced or used for publication in part or in full without our written permission. Thus is for the mutual protection of the public, our clients, and ourselves,

TESTING & CONSULTING Chemical Microbiological

Environmental

Lab request 59880 cover, page 1 of 1

FROM ASSOCIATED LABS



#### ASSOCIATED LABORATORIES

806 North Batavia - Orange, California 92868 - 714/771-6900

FAX 714/538-1209

CLIENT Frey Environmental, Inc.

ATTN: Evan Privett 2817A Lafayette Ave.

Newport Beach, CA 92663 (7741)

LAB REQUEST 59880

REPORTED 10/04/2000 RECEIVED 09/22/2000

PROJECT Mondo Chrome 172-0

SUBMITTER Client

COMMENTS

This laboratory request covers the following listed samples which were analyzed for the parameters indicated on the attached Analytical Result Report. All analyses were conducted using the appropriate methods as indicated on the report. This cover letter is an integral part of the final report.

Client Sample Identification

MW2 MW3

MW1

Order No. 213766 213767 213768

Thank you for the opportunity to be of service to your company. Please feel free to call if there are any questions regarding this report or if we can be of further service.

ASSOCIATED LABORATORIES by.

Edward S. Behare, Ph.D.

Vice President

NOTE: Unless notified in writing, all samples will be discarded by appropriate disposal protocol 30 days from date reported.

The reports of the Associated Laboratories are confidential property of our clients may not be reproduced or used for publication in part or in full without our written permission. This is for the mutual protection of the public, our clients, and ourselves.

TESTING & CONSULTING Chemical Microbiological Environmental Order #: [ 213766 Matrix: WATER

Client: Frey Environmental, Inc.

Client Sample ID: MW2

Date Sampled: 09/22/2000

Time Sampled: Sampled By:

| Analyte                                 |      | Result | DF | DLR   | Units | Date/Ar  | ıalyst |
|---|------|--------|----|-------|-------|----------|--------|
|   |      |        |    |       |       |          |        |
| 200.7 ICP Total Metals - Water Only     |      |        |    |       |       |          |        |
| Chromium                                |      | 0.017  | 1  | 0.003 | mg/L  | 10/02/00 | NVK    |
|   |      |        |    |       |       |          |        |
| 8021B/HVO Halogenated Volatile Organics |      |        |    |       |       |          |        |
| 1,1,1-Trichioroethane                   |      | NDI    | ī  | 0.5   | ug/L  | 09/28/00 | MZ     |
| 1,1,2,2-Tetrachloroethane               |      | ND     | 1  | 0.5   | ug/L  | 09/28/00 | MZ     |
| 1,1,2-Trichloroethane                   |      | ND     | 1  | 0.5   | ug/L  | 09/28/00 | MZ     |
| 1,1-Dichloroethane                      |      | DN     | 1  | 0.8   | ug/L  | 09/28/00 | ΜZ     |
| 1,1-Dichloroethene                      |      | ND     | 1  | . 0.8 | ug/L  | 09/28/00 | ΜZ     |
| 1,2-Dibromoethane                       |      | ND     | 1  | 1.0   | ug/L  | 09/28/00 | MZ     |
| 1,2-Dichlorobenzene                     |      | ND     | ī  | 1,0   | ug/L  | 09/28/00 | MZ     |
| 1,2-Dichloroethane                      |      | ND     | 1  | 0.5   | ug/L  | 09/28/00 | ΜZ     |
| 1,2-Dichloropropane                     |      | ND     | 1  | 0.5   | ug/L  | 09/28/00 | MZ     |
| 1,3-Dichlorobenzene                     |      | ND     | I  | 2.0   | ug/L  | 09/28/00 | MZ     |
| 1,4-Dichlorobenzene                     |      | ND     | 1  | 1.0   | ug/L  | 09/28/00 | MZ     |
| 2-Chloroethylvinyl ether                |      | ND     | 1  | 0.7   | ug/L  | 09/28/00 | MZ     |
| Bromoform                               |      | ND     | 1  | 0.5   | ug/L  | 09/28/00 | MZ     |
| Bromomethane                            |      | ND     | 1  | 1.0   | ug/L  | 09/28/00 | MZ     |
| Carbon tetrachloride                    | ĺ    | ND     | I  | 0.7   | ug/L  | 09/28/00 | MZ     |
| Chlorobenzene                           |      | ND     | 1  | 1.0   | ug/L  | 09/28/00 | MZ     |
| Chloroethane                            | i    | ND     | 1  | 0.5   | ug/L  | 09/28/00 | MZ     |
| Chloroform                              | İ    | ND     | 1  | 0.5   | ug/L  | 09/28/00 | MZ     |
| Chloromethane                           | ĺ    | ND     | 1  | 1.0   | ug/L  | 09/28/00 | MZ     |
| Dibromochloromethane                    |      | ND     | 1  | 0.5   | ug/L  | 09/28/00 | MZ     |
| Dichlorobromomethane                    |      | ND     | I  | 0.5   | ug/L  | 09/28/00 | MZ     |
| Dichlorodifluoromethane                 |      | ND     | 1  | 2.0   | ug/L  | 09/28/00 | MZ     |
| Methylene Chloride                      |      | ND     | 1  | 1.0   | ug/L  | 09/28/00 | MZ     |
| Tetrachloroethene                       |      | 3.79   | 1  | 0.5   | ug/L  | 09/28/00 | MZ     |
| Trichloroethene                         | 2.20 | 72.6   | 1  | 0.6   | ug/L  | 09/28/00 | MZ     |
| Trichlorofluoromethane                  |      | ND     | 1  | 0.5   | ug/L  | 09/28/00 | MZ     |
| Vinyl chloride                          | Ī    | ND     | 1  | 1.0   | ug/L  | 09/28/00 | MZ     |
| cis-1,2-Dichloroethene                  |      | ND     | 1  | 0.5   | ug/L  | 09/28/00 | MZ     |
| cis-1,3-Dichloropropene                 |      | ND     | 1  | 1.5   | ug/L  | 09/28/00 | MZ     |
| trans-1,2-Dichloroethene                |      | ND     | 1  | 0.8   | ug/L  | 09/28/00 | MZ     |
| trans-1,3-Dichloropropene               | i    | ND     | 1  | 1.5   | ug/L  | 09/28/00 | MZ     |

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor



Order#:

213767

Client: Frey Environmental, Inc.

Matrix: WATER

Client Sample ID: MW3

Date Sampled: 09/22/2000

Time Sampled: Sampled By:

| Analyte                               | Result | DF       | DLR        | Units | Date/Ar  | alys |
|---------------------------------------|--------|----------|------------|-------|----------|------|
|                                       | 86     |          | 444<br>444 |       |          |      |
| 0.7 ICP Total Metals - Water Only     |        |          |            |       |          |      |
| Chromium                              | 0.020  |          | 0.003      | mg/L  | 10/02/00 | NVI  |
|                                       |        |          |            |       |          |      |
| 21B/HVO Halogenated Volatile Organics |        |          |            |       |          | edik |
| 1,1,1-Trichloroethane                 | ND     | 1        | 0.5        | ug/L  | 09/28/00 | MZ   |
| 1,1,2,2-Tetrachloroethane             | ND     | 1        | 0.5        | ug/L  | 09/28/00 | MZ   |
| 1,1,2-Trichloroethane                 | ND     | I        | 0.5        | ug/L  | 09/28/00 | MZ   |
| 1,1-Dichloroethane                    | ND     | T.       | 0.8        | ug/L  | 09/28/00 | MZ   |
| 1,1-Dichloroethene                    | 1.61   | I        | 0.8        | ug/L  | 09/28/00 | MZ   |
| 1,2-Dibromoethane                     | ND     | 1        | 1.0        | ug/L  | 09/28/00 | MZ   |
| 1,2-Dichlorobenzene                   | ו סא   | 1        | 1.0        | ug/L  | 09/28/00 | ΜZ   |
| 1,2-Dichloroethane                    | DN     | 1        | 0,5        | ug/L  | 09/28/00 | MZ   |
| 1,2-Dichloropropane                   | ND     | 1        | 0.5        | ug/L  | 09/28/00 | ΜZ   |
| I,3-Dichlorobenzene                   | ND     | 1        | 2.0        | ug/L  | 09/28/00 | MZ   |
| 1,4-Dichlorobenzene                   | ND ND  | T        | 1.0        | ug/L  | 09/28/00 | MZ   |
| 2-Chloroethylvinyl ether              | ND     | T        | 0.7        | ug/L  | 09/28/00 | MZ   |
| Bromoform                             | ND     | 1        | 0.5        | ug/L  | 09/28/00 | MZ   |
| Bromomethane                          | ION    | 1        | 1.0        | ug/L  | 09/28/00 | MZ   |
| Carbon tetrachloride                  | ND     | 1        | 0.7        | ug/L  | 09/28/00 | ΜZ   |
| Chlorobenzene                         | ND ND  | 1        | 1.0        | ug/L  | 09/28/00 | MZ   |
| Chloroethane                          | ND     | 1        | 0.5        | ug/L  | 09/28/00 | ΜZ   |
| Chloroform                            | ND     | I        | 0.5        | ug/L  | 09/28/00 | MZ   |
| Chloromethane                         | ND     | 1        | 1.0        | ug/L  | 09/28/00 | MZ   |
| Dibromochloromethane                  | ND     | T        | 0.5        | ug/L  | 09/28/00 | MZ   |
| Dichlorobromomethane                  | ND ND  | 1        | 0.5        | ug/L  | 09/28/00 | MZ   |
| Dichlorodifluoromethane               | ND     | 1        | 2.0        | ug/L  | 09/28/00 | MZ   |
| Methylene Chloride                    | מא     | 1        | 1.0        | ug/L  | 09/28/00 | MZ   |
| Tetrachloroethene                     | 7.11   | 1        | 0.5        | ug/L  | 09/28/00 | MZ   |
| Trichloroethene                       | 66.0   | 1        | 0.6        | ug/L  | 09/28/00 | MZ   |
| Trichlorofluoromethane                | ND     | T I      | 0.5        | ug/L  | 09/28/00 | MZ   |
| Vinyl chloride                        | ND     | 1        | 1.0        | ug/L  | 09/28/00 | MZ   |
| cis-1,2-Dichloroethene                | 4.97   | 1        | 0.5        | ug/L  | 09/28/00 | MZ   |
| cis-1,3-Dichloropropene               | ND     | ī        | 1.5        | ug/L  | 09/28/00 | ΜZ   |
| trans-1,2-Dichloroethene              | ND     | 1        | 0.8        | ug/L  | 09/28/00 | MZ   |
| trans-1,3-Dichloropropene             | ND     | <u>-</u> | 1.5        | ug/L  | 09/28/00 | MZ   |

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor



Order #: 213768 Matrix: WATER Client: Frey Environmental, Inc.

Client Sample ID: MWI

**Date Sampled: 09/22/2000** 

Time Sampled: Sampled By:

Analyte Result DF DLR Units Date/Analyst

| 7 ICP Total Metals - Water Only     |                |      |     |       |         |          |      |
|-------------------------------------|----------------|------|-----|-------|---------|----------|------|
| Chromium                            | 1              | NDI  | · 1 | 0.003 | mg/L    | 10/02/00 | NV   |
| Chroman                             |                |      |     | V.VVJ | 1118/17 | 19/92/99 | 23 * |
|                                     |                |      |     |       |         |          |      |
| B/HVO Halogenated Volatile Organics |                |      | 99. | :     |         |          | 8888 |
| 1,1,1-Trichloroethane               | ı              | ND   | 1   | 0.5   | ug/L    | 09/28/00 | MZ   |
| 1,1,2,2-Tetrachloroethane           | i              | ND   | 1   | 0.5   | ug/L    | 09/28/00 | M2   |
| 1,1,2-Trichloroethane               | İ              | ND   | 1   | 0.5   | ug/L    | 09/28/00 | M2   |
| 1,1-Dichloroethane                  | ĺ              | ND   | 1   | 0.8   | ug/L    | 09/28/00 | MZ   |
| 1,1-Dichloroethene.                 | i              | 2.49 | 1   | 0.8   | ug/L    | 09/28/00 | ΜZ   |
| 1,2-Dibromoethane                   | İ              | ND   | 1   | 1.0   | ug/L    | 09/28/00 | M2   |
| 1,2-Dichlorobenzene                 | İ              | ND   | 1   | 1.0   | ug/L    | 09/28/00 | MZ   |
| 1,2-Dichloroethane                  | İ              | ND   | 1   | 0.5   | ug/L    | 09/28/00 | M2   |
| 1,2-Dichloropropane                 |                | ND   | 1   | 0.5   | ug/L    | 09/28/00 | M2   |
| 1,3-Dichlorobenzene                 | İ              | ND   | ı   | 2.0   | ug/L    | 09/28/00 | M2   |
| 1,4-Dichlorobenzene                 |                | ND   | T   | 1.0   | ug/L    | 09/28/00 | M2   |
| 2-Chloroethylvinyl ether            |                | ND   | 1   | 0.7   | ug/L    | 09/28/00 | MZ   |
| Bromoform                           | İ              | ND   | ī   | 0.5   | ug/L    | 09/28/00 | M2   |
| Bromomethane                        |                | ND   | 1   | 1.0   | ug/L    | 09/28/00 | M2   |
| Carbon tetrachloride                | i              | ND   | I   | 0.7   | ug/L    | 09/28/00 | M2   |
| Chlorobenzene                       | İ              | ND   | ī   | 1.0   | ug/L    | 09/28/00 | M2   |
| Chloroethane                        | ĺ              | ND   | I   | 0.5   | ug/L    | 09/28/00 | MZ   |
| Chloroform                          | 1              | ND   | 1   | 0.5   | ug/L    | 09/28/00 | MZ   |
| Chloromethane                       |                | ND   | ī   | 1.0   | ug/L    | 09/28/00 | M2   |
| Dibromochloromethane                | i              | ND   | 1   | 0.5   | ug/L    | 09/28/00 | MZ   |
| Dichlorobromomethane                |                | ND   | 1   | 0.5   | ug/L    | 09/28/00 | M2   |
| Dichlorodifluoromethane             |                | ND   | 1   | 2.0   | ug/L    | 09/28/00 | M2   |
| Methylene Chloride                  | İ              | ND   | 1   | 1.0   | ug/L    | 09/28/00 | ΜZ   |
| Tetrachloroethene                   |                | 1111 | I   | 0.5   | ug/L    | 09/28/00 | М2   |
| Trichloroethene                     | İ              | 150  | 1   | 0.6   | ug/L    | 09/28/00 | MZ   |
| Trichlorofluoromethane              |                | ND   | ī   | 0.5   | ug/L    | 09/28/00 | M2   |
| Vinyl chloride                      |                | ND   | 1   | 1.0   | ug/L    | 09/28/00 | MZ   |
| cis-1,2-Dichloroethene              |                | ND   | T T | 0.5   | ug/L    | 09/28/00 | MZ   |
| cis-1,3-Dichloropropene             |                | ND   | 1   | 1.5   | ug/L    | 09/28/00 | M2   |
| trans-1,2-Dichloroethene            | i              | ND   |     | 0.8   | ug/L    | 09/28/00 | ΜZ   |
| trans-1,3-Dichleropropene           | <del>- 1</del> | ND   | 1   | 1.5   | ug/L    | 09/28/00 | MZ   |

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor



## ASSOCIATED LABORATORIES QA REPORT FORM

QC Sample:

LFB000928-1

Matrix:

WATER

Analysis Date:

09/28/00

ID#'s in Batch:

LR 59880

#### MATRIX SPIKE / MATRIX SPIKE DUPLICATE RESULT

Reporting Units =

nø/L

| Test                      | Method | Sample<br>Result | Spike<br>Added | Matrix<br>Spike | Matrix<br>Spike Dup | %Rec<br>MS | %Rec<br>MSD | RPD | Prep.<br>Blank |
|---------------------------|--------|------------------|----------------|-----------------|---------------------|------------|-------------|-----|----------------|
| 1.3-Oichloroethane        | 8021   | ND               | 10.0           | 7.1             | 73                  | 71         | 73          | 3   | ND             |
| 1.1,2-Trichloroethane -   | 8021   | ND               | 10.0           | 9.8             | 12.4                | 98         | 124         | 23  | ND             |
| Terrachloroethene         | 9021   | ND               | 10.0           | 10.2            | 10.1                | 102        | 101         | 1   | ND             |
| cis-1,240CE               | 8021   | ND               | 10.0           | 9.8             | 9.7                 | 98         | 97          | 1   | ND             |
| cis-i J-DCPE              | 8021   | ND               | 10.0           | 9.7             | 97                  | 97         | 97          | 0   | ND             |
| Trichloroethene           | 8021   | ND               | 10.0           | 9.8             | 9,9                 | 98         | 99          | 1   | ND             |
| Bromodichloromethave      | 8021   | ND               | 10.0           | 10.4            | 10.5                | 104        | 105         | 1   | ND             |
| trans-1 3-Dichloropropase | 8021   | ND               | 10.0           | 9.3             | 9.6                 | 93         | 96          | 3   | ND             |
| Benzene                   | 8021   | ND               | 10.0           | 9.7             | 9.8                 | 97         | 98          | 1   | ND             |
| Toluene                   | 8021   | ND               | 10.0           | 9.8             | 9,9                 | 98         | 99          | 1   | ND             |

<sup>\* «</sup> Matrix Interference, LCS OK, Data Reported.

ND - Not Detected

RPD - Relative Percent Difference of Matrix Spike and Matrix Spike Displicate

MREC-MS & MSD - Percent Recovery of Matrix Spike & Matrix Spike Displicate

PAREC LIMITS: 65-135 RPD LIMITS: 35

#### LCS RECOVERY / METHOD BLANK

| Test                      | Spike<br>Added | UCS<br>Results | LCS<br>% Rec | Limits<br>% Rec |
|---------------------------|----------------|----------------|--------------|-----------------|
| i 2-Dichloroethane        | 10.0           | 6.8            | 68           | 65-135          |
| I.I.2-Trichloroethane     | 10.0           | 10.6           | 106          | 65-135          |
| Totrachloroetkene         | 10.0           | 9,9            | 99           | 65-135          |
| cls-1 2-DCE               | 10.0           | 9.9            | 99           | 65-135          |
| co-13-DCPE                | 10.0           | 10.3           | 103          | 65-135          |
| Trichloroethene           | 10.0           | 10.0           | 100          | 65-135          |
| Bromodichloromethane      | 10.0           | 9,9            | 90           | 65-135          |
| trans-1,3-Dichloropropane | 10.0           | 10.6           | 106          | 65-135          |
| Benzene                   | 10.0           | 10.0           | 100          | 65-135          |
| Toluene                   | 10.0           | 10.1           | 101          | 65-135          |

Method Blank = All ND

#### ASSOCIATED LABORATORIES LCS/MB REPORT FORM

QC Code #:

H092600W89

Prep. Method: 3010

Prep. Date

09/26/00

Matrix: WATER

Wt./Vol:

0.5ml/25ml

LCS Source(s):

QC21-LOT#QC2/91/1;QC7-LOT7A92/1

Lab ID#'s in Batch:

LR 59974, 59901, 59902, 59925, 59938, 59880, 59943, 59949, 59889

Reporting Units:

mg/L

| Lab Control Sam | ile (LCS) |        |      |       |         |                 | Method | Blank |
|-----------------|-----------|--------|------|-------|---------|-----------------|--------|-------|
| Element         | Method    | Result | True | %Rec  | L.Limit | <b>U.Li</b> mit | DLR    | ND    |
| Arsenic         | 207).7    | 2.096  | 2.0  | 104,8 | 80%     | 120%            | 0.005  | U     |
| Selenium        | 200.7     | 2.203  | 2.0  | 110.2 | 80%     | 120%            | 0.004  | U     |
| Thallium        | 200.7     | 2.114  | 2.0  | 165.7 | 80%     | 120%            | 0.003  | ij    |
| Lead            | 200.7     | 2.064  | 2.0  | 103.2 | 80%     | 120%            | 0.002  | IJ    |
| Antimony        | 200.7     | 2.090  | 2.0  | 104.5 | 80%     | 120%            | 0.006  | IJ    |
| Barium          | 200.7     | 1.950  | 2.0  | 97.5  | 80%     | 120%            | 0.002  | IJ    |
| Beryllium       | 200.7     | 2.046  | 2.0  | 102.3 | 80%     | 120%            | 0.001  | U     |
| Boron           | 200.7     | 1.922  | 2.0  | 96.1  | 80%     | 120%            | 0.011  | U     |
| Cadmium         | 200.7     | 2.018  | 2.0  | 100.9 | 80%     | 120%            | 0.004  | IJ    |
| Chromium        | 200.7     | 1.996  | 2.0  | 99.8  | 80%     | 120%            | 0.003  | U     |
| Cobalt          | 200.7     | 2.004  | 2.0  | 100.2 | 80%     | 120%            | 0.005  | U     |
| Copper          | 200.7     | 1.965  | 2.0  | 98.3  | 80%     | 120%            | 0.004  | U     |
| Iron            | 200.7     | 2.036  | 2.0  | 101.8 | 80%     | 120%            | 0.011  | U     |
| Manganese       | 200.7     | 1.940  | 2.0  | 97.0  | 80%     | 120%            | 0.002  | U     |
| Molybdenum      | 200.7     | 1.975  | 2.0  | 98.8  | 80%     | 120%            | 0.010  | U     |
| Nickel          | 200.7     | 2.021  | 2.0  | 101.1 | 80%     | 120%            | 0.008  | U     |
| Vanadium        | 200.7     | 1.946  | 2.0  | 97.3  | 80%     | 120%            | 0.005  | U     |
| Zinc            | 200.7     | 2.045  | 2.0  | 102.3 | 80%     | 120%            | 0.002  | U     |
| Silver          | 200.7     | 0.8573 | 1.9  | 85.7  | 80%     | 120%            | 0.005  | U     |
| Aluminum        | 200.7     | 2.004  | 2.0  | 100.2 | 80%     | 120%            | 0.052  | U     |

Notes: RESULT - Sample Result; TRUE - True Value; %Rec - 100\*Result True

L.LIMIT - H.LIMIT - Low - High Control Limits
PB - Preparation Blank; ND - "U" for Non- Detected

#### ASSOCIATED LABORATORIES

QA REPORT FORM (MS/MSD)

QC Sample:

LR 59974 - 214187

Matrix:

WATER

Prep. Date:

09/26/00

Analysis Date:

09/28/00 - 10/02/00

Lab ID#'s in Batch:

LR 59974, 59901, 59902, 59925, 59938, 59880, 59943, 59949, 59889

#### MATRIX SPIKE / MATRIX SPIKE DUPLICATE RESULT

REPORTING UNITS = mg/L

| TEST       | Method  | Sample<br>Result | ND | Spike<br>Added | Matrix<br>Spike | Matrix<br>Spike Dup | %Rec<br>MS | %Rec<br>MSD | RPD |
|------------|---------|------------------|----|----------------|-----------------|---------------------|------------|-------------|-----|
| Arsenic    | 200.7   | 0.004            | U  | 0.1            | 0.100           | 0.102               | 100.0      | 102.0       | 2.0 |
| Lead       | 200.7   | 0.007            |    | 0.2            | 0.202           | 0.204               | 97.5       | 98.5        | 1.0 |
| Selenium   | 200.7   | 0.014            |    | 0.1            | 0.119           | 0.124               | 105.0      | 110.0       | 4.1 |
| Thallium   | * 200.7 | 0.003            | U  | 0.1            | 0.070           | 0.068               | 70.0       | 68.0        | 2.9 |
| Antimony   | 200.7   | 0.030            | U  | 1.0            | 0,939           | 0.973               | 93.9       | 97.3        | 3.6 |
| Barium     | 200.7   | 0.033            |    | 1.0            | 0.917           | 0.953               | 88.4       | 92.0        | 3.9 |
| Beryllium  | 200.7   | 0.003            |    | 1.0            | 0.899           | 0.940               | 89.6       | 93.7        | 4.5 |
| Cadmium    | 200.7   | 0.003            | U  | 1.0            | 0.874           | 0.917               | 87.4       | 91.7        | 4.8 |
| Chromium   | 200.7   | 0.031            |    | 1.0            | 0.883           | 0.930               | 85.2       | 89.9        | 5.2 |
| Cobalt     | 200.7   | 0.322            |    | 1.0            | 1.220           | 1.290               | 89.8       | 96.8        | 5.6 |
| Copper     | 200.7   | 0.176            |    | 1.0            | 1.080           | 1.130               | 90,4       | 95.4        | 4.5 |
| Molybdenum | 200.7   | 0.010            | U  | 1.0            | 0.850           | 0.890               | 85,0       | 89.0        | 4.6 |
| Nickel     | 200.7   | 0.023            |    | 1.0            | 0.883           | 0.919               | 86.0       | 89.6        | 4.0 |
| Vanadium   | 200.7   | 0.005            | U  | 1.0            | 0.860           | 0.904               | 86.0       | 90.4        | 5.0 |
| Zinc       | 200.7   | 0.022            |    | 1.0            | 0.903           | 0.935               | 88.1       | 91.3        | 3.5 |
| Silver     | 200.7   | 0.005            | U  | 0.4            | 0.371           | 0.391               | 92.8       | 97.8        | 5.2 |

<sup>\* =</sup> MS/MSD outside Limits. LCS/MB Accepted.


NC = Not Calculated

ND = "U" - Not Detected

RPD = Relative Percent Difference of Matrix Spike and Matrix Spike Duplicate

%REC-MS&MSD \* Percent Recovery of Matrix Spike & Matrix Spike Duplicate

% REC LIMITS = 75 -125 RPD LIMITS



806 N. Batavia \* Orange, CA 92868 (714) 771-6900 \* FAX: (714) 538-1209

59860

CHAIN OF CUSTODY RECORD.

Date 9, 22, 200 age / of /

| CLIENT <i>ERE</i>  | Y ENVIRONMEN            | ral ,h.        |   |      | ·            |     |         |  |  | 49 - 18 - 18 - 18 - 18 - 18 - 18 - 18 - 1 |
|--|-------------------------|----------------|---|------|--------------|-----|---------|--|--|---|
| ADDRESS 2817 A LAFAUETTE AVE<br>NEWPORT BEACH CA72GG3            |                         |                | PROJECT MANAGER  EVAN PRIVETT               |      |              |     |         |  | Samples Intact Yes X No County Seals Intact Yes No X Sample Ambient Cooled X Frozen Same Day 24 Hr. Regular X 48 Hr. |   |
| PROJECT NAME MONDO CHROME 172-0                                  |                         |                | PHONE NUMBER 723-1645 SAMPLERS: (Signature) |      |              |     |         |  |  |   |
| SAMPLE<br>NUMBER   | LOCATION<br>DESCRIPTION |                | DATE  | TIME | WATER        | AIR | SOLID   | NO OF<br>CNINRS  | SUSP<br>CONTAM   | TESTS<br>REQUIRED                         |
| MW2  |                         |                | 122,00                                      |      | Х            |     |         | 3  |  | EPA 8010                                  |
| MW 2   | Liter                   |                |   |      |              |     |         | 1  | 3.077  | CHRomiun                                  |
| MW3  |                         |                |   |      |              |     |         | 3  |  | EPA 48010                                 |
| <u>Mw 3</u>  | Lifer                   |                |   |      |              |     |         | 1  |  | CHROMIUN                                  |
| Mwj  |                         |                |   |      |              |     |         | 3  | ,  | EPA 8010                                  |
| Mw   | Liter                   |                | $ \Psi $                                    |      | $\mathbb{A}$ |     |         |  |  | CHRONIUM                                  |
|  |                         | 12             |   |      |              |     |         |  |  |   |
|  |                         |                |   |      |              |     |         |  |  |   |
|  |                         |                |   |      |              |     |         |  |  |   |
|  |                         |                |   |      |              |     |         |  |  |   |
|  |                         |                |   |      |              |     |         |  |  |   |
|  |                         |                |   |      |              |     |         |  |  |   |
| Relinquished by:   | <b>)</b> .              | y. (Signature) |   |      |              |     | V/22/00 |  | t hereby authorize the performance of the above<br>indicated work.   |   |
| Relinquished by: (Signature)  Received by: (Signature)  Propries |                         |                | Laboratory for analysis:                    |      |              |     | Date    | Date/Timesco   |  |   |
| Special Instructions:  |                         |                |   |      |              |     |         | DISTRIBUTION: White with report. Yellow o AL.<br>Pink to Courier |  |   |